

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	0	2004/0212651	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/12/20 17:32
L8	1	"20040212651"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/12/20 17:32
L9	1120	region adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L10	232	(region adj code) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L11	3	L10 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L12	542743	((ip adj address) identifier id address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L13	24979	L12 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L14	92026	(ip internet network) near4 (identifier id address (region adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L15	2407	(print\$4 toner) with cartridge with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21

L16	755	(print\$4 toner) near3 cartridge near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L17	45	(print\$4 toner) near3 cartridge near3 EEPROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L18	20	L17 and (identifier id address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L19	232	(region adj code) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L20	542743	((ip adj address) identifier id address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L21	24979	L20 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L22	92026	(ip internet network) near4 (identifier id address (region adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L23	2407	(print\$4 toner) with cartridge with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21

L24	755	(print\$4 toner) near3 cartridge near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L25	3	L19 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L26	45	(print\$4 toner) near3 cartridge near3 EEPROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L27	20	L26 and (identifier id address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L28	1120	region adj code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L29	19585	L21 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L30	19585	L29 and ((multi\$function near3 peripheral) copier facsimile fax peripheral print\$4 toner cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L31	2785	L29 and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21

L32	31124	((ip adj address) address (region adj code)) with (identifier id) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L33	1093	L32 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L34	982	L33 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L35	982	L34 and ((multi\$function near3 peripheral) copier facsimile fax peripheral print\$4 toner cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L36	739	L34 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L37	110	L36 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L38	31124	((ip adj address) address (region adj code)) with (identifier id) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L39	1093	L38 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21

L40	982	L39 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L41	739	L40 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L42	110	L41 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L43	542743	((ip adj address) (identifier id) address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L44	24979	L43 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L45	19585	L44 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L46	13388	L45 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L47	2722	L46 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21

L48	36	L47 and (print adj cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L49	195	L47 and (print\$3 adj (toner cassette ink cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:21
L50	0	2004/0212651	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/12/20 18:24
L51	1	"20040212651"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2005/12/20 18:24
L52	232	(region adj code) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L53	542743	((ip adj address) identifier id address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L54	24979	L12 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L55	92026	(ip internet network) near4 (identifier id address (region adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L56	2407	(print\$4 toner) with cartridge with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24

L57	755	(print\$4 toner) near3 cartridge near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L58	232	(region adj code) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L59	542743	((ip adj address) identifier id address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L60	24979	L20 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L61	92026	(ip internet network) near4 (identifier id address (region adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L62	2407	(print\$4 toner) with cartridge with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L63	755	(print\$4 toner) near3 cartridge near3 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L64	19585	L21 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24

L65	19585	L29 and ((multi\$function near3 peripheral) copier facsimile fax peripheral print\$4 toner cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L66	2785	L29 and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L67	31124	((ip adj address) address (region adj code)) with (identifier id) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L68	1093	L32 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L69	982	L33 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L70	982	L34 and ((multi\$function near3 peripheral) copier facsimile fax peripheral print\$4 toner cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L71	739	L34 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L72	31124	((ip adj address) address (region adj code)) with (identifier id) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24

L73	1093	L38 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L74	982	L39 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L75	739	L40 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L76	110	L41 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L77	542743	((ip adj address) (identifier id) address (region adj code)) with (ident\$5 establish set initiate store read write provide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L78	24979	L43 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L79	19585	L44 and (network gps location positio\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L80	13388	L45 and @ad<"20031103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24

L81	2722	L46 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L82	3	L10 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L83	45	(print\$4 toner) near3 cartridge near3 EEPROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L84	20	L17 and (identifier id address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L85	3	L19 same (printer (multi\$function near3 peripheral) copier facsimile fax peripheral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L86	45	(print\$4 toner) near3 cartridge near3 EEPROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L87	20	L26 and (identifier id address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L88	36	L47 and (print adj cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24

L89	110	L36 and (lock\$3 restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24
L90	195	L47 and (print\$3 adj (toner cassette ink cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 18:24